

Appendix A

Example 1

```
# comment
#
[Tag File Category 1]
Feature_1=Feature1_Rules
Feature_2=Feature2_Rules
...

[Tag File Category 2]
...

[Code Fragment Category 1]
Feature_1=Beginning Code Fragment_1;End Code Fragment_1
Feature_2=Beginning Code Fragment_1;End Code Fragment_1
...

[Code Fragment Category 2]
...

[Tag File Category n]
...
```

Example 2

```
[projectFile=hpj]
Text=;Help Project File generated from FrameMaker MIF
Text=;Conversion program mifcvrt written by Mark Stevens
Text=;Copyright (C)1997-2000 Wind River Systems, Inc.
Text=[Options]
Text=NOTES=0
Text=Title=%curWndName%
Text=CONTENTS=%contentsTopic%
Text=CITATION=(c)1997-2000 Wind River Systems, Inc.
Text=COPYRIGHT=Help text copyright 1997-2000 Wind River Systems, Inc.
SingleStep Help System designed by Mark Stevens. Written by Mark Stevens,
Ananda Stevens, and Don Richie. Authored with Adobe FrameMaker.
Text=OLDKEYPHRASE=NO
Text=OPTCDROM=0
Text=REPORT=NO
Text=COMPRESS=12
Text=ERRORLOG=error.txt
Text=BMROOT=Art
Text=BMROOT=..\Art
Text=[FILES]
Text=%FileList%
FileListSyntax=%File%
Text=[ALIAS]
Text=#include <GUIAlias.hh>
Text=%AliasList%
AliasListSyntax=%Alias%=%Target%
```

Example 3

```
;Help Project File generated from FrameMaker MIF
;Conversion program mifcvrt written by Mark Stevens
;Copyright (C)1997-2000 Wind River Systems, Inc.
[Options]
NOTES=0
Title=Contents
CONTENTS=IDH_sngppctoc_Contents
CITATION=(c)1997-2000 Wind River Systems, Inc.
COPYRIGHT=Help text copyright 1997-2000 Wind River Systems, Inc.
SingleStep Help System designed by Mark Stevens. Written by Mark Stevens,
Ananda Stevens, and Don Richie. Authored with Adobe FrameMaker.
OLDKEYPHRASE=NO
OPTCDROM=0
REPORT=NO
COMPRESS=12
ERRORLOG=error.txt
BMROOT=Art
BMROOT=..\Art
[FILES]
r:\pub\SingleStep\sngppctoc.rtf
r:\pub\SingleStep\UserGuide\overview.rtf
r:\pub\SingleStep\UserGuide\conventionsoverview.rtf
r:\pub\SingleStep\UserGuide\introduction.rtf
r:\pub\SingleStep\connections\help\connectionsoverview.rtf
r:\pub\SingleStep\connections\tornado.rtf
r:\pub\SingleStep\connections\embeddeddesktop.rtf
r:\pub\SingleStep\connections\psos.rtf
r:\pub\SingleStep\connections\help\advancedsimulator.rtf
[ALIAS]
#include <GUIAlias.hh>
IDF_menustoolbarspopups__72354=IDH_menustoolbarspopups__Source_Pane_Popup
_Menu
...
```

Example 4

```
(headerFooter)
[header]
Text=<html>
Text=<body bgcolor="#ffffff">
```

Beginning of Each Resulting HTML File

```
<html>

<body bgcolor="#ffffff">
```

Example 5

```
#
# Tag File
# Governs translation of MIF to RTF
# Used with miftortf4
[projectFile=hpj]
Text=;Help Project File generated from FrameMaker MIF
Text=;Conversion program mifcvrt written by Mark Stevens
Text=;Copyright (C)1997-2000 Wind River Systems, Inc.
Text=[Options]
Text=NOTES=0
```

```
Text=Title=%curWndName%
Text=CONTENTS=%contentsTopic%
Text=CITATION=(c)1997-2000 Wind River Systems, Inc.
Text=COPYRIGHT=Help text copyright 1997-2000 Wind River Systems, Inc.
SingleStep Help System designed by Mark Stevens. Written by Mark Stevens, and
Ananda Stevens. Authored with Adobe FrameMaker.
Text=OLDKEYPHRASE=NO
Text=OPTCDROM=0
Text=REPORT=NO
Text=COMPRESS=12
Text=ERRORLOG=error.txt
Text=BMROOT=Art
Text=BMROOT=..\Art
Text=[FILES]
Text=%FileList%
FileListSyntax=%File%
Text=[ALIAS]
Text=#include <GUIAlias.hh>
Text=%AliasList%
AliasListSyntax=%Alias%=%Target%
Text=[MAP]
Text=#include <resource.hh>
Text=[WINDOWS]
Text=main="", (317,0,494,897),29190,,,f0
Text=[CONFIG]
Text=SetPopupColor(255,255,250)
Text=BrowseButtons()
#
[pgfTags]
Answer=\s10\s100\s100\widctlpar;\f5\fs20 ;
Appendix=\s20\s120\s100\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
AppendixTOC=\s30\li360\s100\s100\widctlpar;\f5\fs20 ;3
AxName=\s40\s120\s100\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
Body=\s50\s100\s100\widctlpar;\f5\fs20 ;
BodyLeft=\s60\s100\s100\widctlpar;\f5\fs20 ;
BookTitle=\s70\s120\s100\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y1
BookTitleTOC=\s80\li360\s100\s100\widctlpar;\f5\fs20 ;1
Bullet=\s90\s100\s100\fi-360\li360\widctlpar\tx36;\f5\fs20 ;
Bulleted=\s100\s100\s100\fi-360\li360\widctlpar\tx36;\f5\fs20 ;
Bullet2=\s110\s100\s100\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
Bulleted2=\s120\s100\s100\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
Bullet3=\s130\s100\s100\fi-720\li2180\widctlpar\tx360;\f5\fs20 ;
Bulleted3=\s140\s100\s100\fi-720\li2180\widctlpar\tx360;\f5\fs20 ;
Caution=\s150\s100\s100\li360\ri360\widctlpar;\f5\fs20 ;
Chap Opening Bullets=\s160\s100\s100\fi-
360\li360\keepn\widctlpar\tx360;\f5\fs20 ;
Chapter Opening=\s170\s110\s100\keepn\widctlpar;\b\i\f5\fs20 ;
Chapter=\s180\s120\s100\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
ChapterTOC=\s190\li360\s100\s100\widctlpar;\f5\fs20 ;3
ChBullet=\s200\s100\s100\fi-360\li360\keepn\widctlpar\tx360;\f5\fs20 ;
ChipCellBody=\s210\widctlpar;\f5\fs14 ;
ChipCellBodyC=\s220\qc\widctlpar;\f5\fs14 ;
ChipCellBodyR=\s230\qr\widctlpar;\f5\fs14 ;
ChOpening=\s240\s110\s100\keepn\widctlpar;\b\i\f5\fs20 ;
ChName=\s250\s120\s100\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y3
ChNameTOC=\s260\li360\s100\s100\widctlpar;\f5\fs20 ;3
ChSubtitle=\s270\s110\s100\widctlpar;\b\i\f5\fs20 ;
Code=\s280\li360\widctlpar;\f11\fs18 ;
Code2=\s290\li1440\widctlpar;\f11\fs18 ;
CodeAnnotated=\s300\widctlpar;\f11\fs18 ;
CodeSmall=\s310\li360\widctlpar;\f11\fs18 ;
CommandOptionList=\s320\s100\s100\li720\widctlpar;\i\f5\fs20 ;
```

Example=\s330\s60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
 Example2=\s340\s60\sb60\li720\ri360\widctlpar;\f5\fs20 ;
 FigureTitle=\s350\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 FigureTitleAX=\s360\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 Follow=\s362\s60\sb60\li720\widctlpar;\f5\fs20 ;
 Follow2=\s364\s60\sb60\li1440\widctlpar;\f5\fs20 ;
 Follow3=\s366\s60\sb60\li2160\widctlpar;\f5\fs20 ;
 H2=\s370\s120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
 H2TOC=\s380\li720\s100\sb100\widctlpar;\f5\fs20 ;4
 H3=\s390\s110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
 H3TOC=\s400\li1440\s100\sb100\widctlpar;\f5\fs20 ;5
 H4=\s410\s110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;
 H5=\s420\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 Heading 1=\s430\s120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
 heading 1=\s440\s120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
 Heading 1TOC=\s450\li720\s100\sb100\widctlpar;\f5\fs20 ;4
 heading 1TOC=\s460\li720\s100\sb100\widctlpar;\f5\fs20 ;4
 Heading 2=\s470\s110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
 heading 2=\s480\s110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
 Heading 2TOC=\s490\li1440\s100\sb100\widctlpar;\f5\fs20 ;5
 heading 2TOC=\s500\li1440\s100\sb100\widctlpar;\f5\fs20 ;5
 Heading 3=\s510\s110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
 heading 4=\s520\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 heading 4=\s530\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 HeadingRefEntry=\s540\s120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
 HeadingRefItem=\s550\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 HeadingRefSubEntry=\s560\s110\sb30\widctlpar;\cf13 \b\f5\fs20\kerning28 ;Y5
 HeadingRunIn=\s570\s110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
 HeadingRunInNoPopup=\s580\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 HU=\s590\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 HU-run=\s600\s110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
 HUrun=\s605\s110\sb50\widctlpar;\cf13 \b\i\f5\fs20 ;P6
 Information=\s610\li360\s100\widctlpar;\i\f5\fs20 ;N;PopupTitle
 Listed=\s620\s60\sb60\li720\widctlpar;\f5\fs20 ;
 Listed2=\s630\s60\sb60\li1440\widctlpar;\f5\fs20 ;
 Listed3=\s640\s60\sb60\li2160\widctlpar;\f5\fs20 ;
 MainTitle=\s650\s120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y2
 Note=\s660\s60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
 Note2=\s670\s60\sb60\li720\ri360\widctlpar;\f5\fs20 ;
 NoteAlso=\s680\s60\sb60\li360\ri360\widctlpar;\f5\fs20 ;
 Note2Also=\s690\s60\sb60\li720\ri360\widctlpar;\f5\fs20 ;
 Numbered=\s700\s60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
 Numbered2=\s710\s60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
 Numbered2First=\s720\s60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
 NumberedFirst=\s730\s60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
 Popup=\s740\s100\sb100\widctlpar;\f5\fs20 ;N;PopupText
 PopupFirst=\s750\s100\sb100\widctlpar;\f5\fs20 ;N;PopupText
 Question=\s760\s120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y4
 QuestionTOC=\s770\li360\s100\sb100\widctlpar;\f5\fs20 ;4
 RefAnchor=\s776\s100\sb100\widctlpar;\f5\fs20 ;F5
 RefEntry=\s780\s120\sb50\keepn\widctlpar;\cf13 \b\f5\fs28\kerning28 ;Y5
 RefEntryTOC=\s790\li1440\s100\sb100\widctlpar;\f5\fs20 ;5
 RefEntrySection=\s800\s110\sb30\widctlpar;\cf13 \b\f5\fs20 ;P6
 RefEntryTerm=\s810\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 Step1.=\s820\s60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
 StepN.=\s830\s60\sb60\fi-720\li1440\widctlpar\tx360;\f5\fs20 ;
 StepN.1=\s840\s60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
 StepN.N=\s850\s60\sb60\fi-720\li2180\widctlpar\tx720;\f5\fs20 ;
 SubChapter=\s860\s110\sb50\widctlpar;\b\i\f5\fs20 ;
 SubHeading 1=\s870\s120\sb50\keep\widctlpar;\b\f5\fs28\kerning28 ;
 TableFootnote=\s880\s100\sb100\widctlpar;\f5\fs18 ;

```

TableTitle=\s890\sall0\s50\widctlpar;\b\i\fs20 ;
TableTitleAX=\s900\sall0\s50\widctlpar;\b\i\fs20 ;
Task=\s910\sall0\s100\fi-360\li720\widctlpar\tx360;\fs20 ;
Task2=\s920\sall0\s100\fi-720\li1440\widctlpar\tx720;\fs20 ;
TaskIntro=\s930\sall0\s100\fi-360\li720\widctlpar\tx360;\fs20 ;
TaskIntro2=\s940\sall0\s100\fi-720\li1440\widctlpar\tx720;\fs20 ;
Term=\s945\sall0\s50\widctlpar;\cf13 \b\i\fs20 ;P6
Title=\s950\sall0\s50\keepn\widctlpar;\cf13 \b\fs28\kerning28 ;Y2
Tagline=\s960\li360\sall0\widctlpar;\i\fs20 ;N;PopupTitle
TopicNoHead=\pard\plain \page \par \s970\sall0\s100\widctlpar;\fs20 ;
TitleTOC=\s980\sall0\s100\widctlpar;\fs20 ;2
Warning=\s990\sall0\s60\li360\ri360\widctlpar;\fs20 ;
#
[fmtTags]
Bold=\cs3 ;\b ;}
code=\cs5 ;\i ;}
Caption=\cs7 ;\b ;}
command=\cs9 ;\b ;}
default=\cs11 ;\b\i ;}
Emphasis=\cs21 ;\i ;}
emphasis=\cs31 ;\i ;}
guiLabel=\cs41 ;\b\i ;}
Inline code=\cs47 ;b ;}
input=\cs51 ;\b ;}
key=\cs61 ;\b ;}
linkGuiLabelPopup=\cs71 ;\ul\cf11 ;}
LinkID=\cs81 ;\v\cf14 ;}
LinkJump=\cs91 ;\uldb\cf11 ;}
linkJump=\cs101 ;\uldb\cf11 ;}
LinkPopup=\cs111 ;\ul\cf11 ;}
linkPopup=\cs121 ;\ul\cf11 ;}
LinkLiteralPopup=\cs131 ;\ul\cf11 ;}
Literal=\cs141 ;\b\i ;}
literal=\cs143 ;\b\i ;}
ParagraphNumber=\cs151 ;\b ;}
Reference=\cs161 ;\i ;}
Strong=\cs171 ;\b ;}
strong=\cs181 ;\b ;}
term=\cs191 ;\i ;}
textVariable=\cs201 ;\i ;}
title=\cs211 ;\i ;}
url=\cs221 ;\b ;}
#
[replacePairs]
\>=>
{=\{
}=\}
\xd4 =`
\q='
\xd5 ='
\xd2 ="
\xd3 ="
\Q=`
M_CORE=M.CORE
\xed=\{bmc arrow.wmf\}
\xa5=\{bmc redden.wmf\}
\xa8=\{bmc reddiamond.wmf\}
\xa9=\{bmc redsquarebullet.bmp\}
#
#
#

```